5

-33-

## CLAIMS

## What is claimed is:

- A method of treating a Ras-mediated neoplasm in a mammal, comprising administering to the neoplasm a reovirus in an amount sufficient to result in reovirus-mediated oncolysis of cells of the neoplasm.
  - The method of Claim 1, wherein the reovirus is a human reovirus.
- 3. The method of Claim 2, wherein the reovirus is type 1.
- 10 4. The method of Claim 2, wherein the reovirus is type 2.
  - 5. The method of Claim 2, wherein the reovirus is type 3.
  - The method of Claim 1, wherein the reovirus is a nonhuman reovirus.
- 7. The method of Claim 6, wherein the recvirus is a mammalian recvirus.
  - The method of Claim 6, wherein the reovirus is an avian reovirus.
  - The method of Claim 1, wherein more than one type of recvirus is administered.

- The method of Claim 1, wherein more than one strain of reovirus is administered.
- 11. The method of Claim 1, wherein the reovirus is a field isolate.
- 5 12. The method of Claim 1, wherein the reovirus is treated with a protease prior to administration.
  - The method of Claim 1, wherein the neoplasm is a solid neoplasm.
- 14. The method of Claim 3, wherein the recvirus is administered by injection into the solid neoplasm.
  - 15. The method of Claim 13, wherein the recovirus is administered intravenously into the mammal.
  - 16. The method of Claim 1, wherein the neoplasm is a hematopoietic neoplasm.
- 15 17. The method of Claim 16, Wherein the reovirus is administered intravenously into the mammal.
  - 18. The method of Claim 16, wherein the reovirus is administered intraperitoneally into the mammal.
- The method of Claim 1, wherein the mammal is selected
  from the group consisting of: mice, dogs, cats,

sheep, goats, cows, horses, pigs, and non-human primates.

- 20. The method of Claim 1, wherein the mammal is a human.
- 21. The method of Claim 1, wherein the neoplasm is pancreatic cancer.
  - 22. The method of Claim 1, wherein the neoplasm is breast cancer.
  - 23. The method of Claim 1, wherein the neoplasm is brain cancer.
- 10 24. The method of Claim 1, wherein the neoplasm is selected from the group consisting of: lung cancer, prostate cancer, colorectal cancer, thyroid cancer, renal cancer, adrenal cancer, liver cancer, and leukemia.
- 15 25. The method of Claim 1, wherein approximately  $10^3$  to  $10^{12}$  plaque forming units of reovirus are administered.
  - 26. The method of Claim 1, wherein the reovirus is administered in a single dose.
- 20 27. The method of Claim 1, wherein the reovirus is administered in more than one dose.

10

- 28. The method of Claim 1, wherein the reovirus is administered to more than one neoplasm in the mammal.
- 29. The method of Claim 1, wherein the ras-mediated neoplasm is metastatic.
- 5 30. The method of Claim 29, wherein the recvirus is administered to a single solid neoplasm.
  - The method of Claim 29, wherein the reovirus is administered intravenously.
  - 32. A method of treating a Ras-mediated neoplasm in a human, comprising administering to the neoplasm a reovirus in an amount sufficient to result in reovirus-mediated oncolysis of cells of the neoplasm.
  - 33. The method of Claim 32, wherein the neoplasm is a solid neoplasm.
- 15 34. The method of Claim 33, wherein the solid neoplasm is pancreatic cancer.
  - 35. The method of Claim 33, wherein the reovirus is administered by injection into the solid neoplasm.